GENERAL INSTRUCTIONS TO CANDIDATES



- 1. Please do not open this Booklet till you are told to do so.
- 2. If the Question Paper Booklet does not contain 100 questions or if it is not of the medium opted or Answer Sheet is not in good condition, ask for change immediately.
- 3. Duration of the test is 2 hours.

Sheet No.

- 4. Before commencement of the exam, please fill up the necessary information in the space provided below and also in the answer sheet.
- 5. Use HB pencil only to darken the circles for answers in the answer sheet.
- 6. After each question, four alternative answers are given. Choose one of the answers and darken the appropriate circle against the question number in the OMR Answer Sheet, completely, as shown below, with HB Pencil.

Marking the Answers					
Example: For Question No. 12, if the candidate	Not as shown below (Wrong method):				
considers, the correct answer to be					
C, he is to mark as shown below (Correct Method)	12 (A) (B) (S) (D)				
	12 (A) (B) (O) (D)				
12 (A) (B) (D)	12 (A) (B) (C) (D)				
	12 \land 🌑 🔘 D				

- 7. Any answer marked in the question booklet will not be considered and no marks will be awarded.
- 8. If a candidate wants to change the answer already darkened, he should erase it completely, with good quality eraser and ensure that no mark is visible after erasing.
- 9. For each correct answer, one mark will be awarded. For each wrong answer, 1/4th of the mark earmarked for each question will be deducted. If more than one circle is darkened for a question, it will be treated as wrong answer. For questions not answered i.e. blanks, a zero will be given.
- 10. Rough work, if any, must be done on the pages, specified as SPACE FOR ROUGH WORK only and nowhere else in the question paper booklet or in the answer sheet.
- 11. When you have completed, even before time, please remain in your seat. The Invigilator will come to you and collect your Answer Sheet against acknowledgement on the admit card. No candidate can leave the examination hall till the end of the test.
- 12. Candidate found copying or receiving or giving any help or defying instructions of the Invigilators or having/using mobile phone or smart watch will be expelled from the examination and will also be liable for further punitive action.
- 13. This booklet is the property of the Examination Body. Any unauthorized and illegal circulation of its contents in part or in full in any manner whatsoever is strictly prohibited. Candidates involved in such unauthorized and illegal acts are liable to be prosecuted besides being disqualified to appear in any further examinations of the Examination Body.

Time: 2 Hours

Total No. of Printed Pages: 24

Roll No. 7 2 8 0 3 5 Question Paper Booklet Code

Name of the Candidate

OMR Answer

OMR Answer

This booklet is the property of the Examination Body. Any unauthorized and illegal circulation of its contents in part or in full in any manner whatsoever is strictly prohibited. Candidates involved in such unauthorized and illegal acts are liable to be prosecuted besides being disqualified to appear in any further examinations of the Examination Body.

1.	1. U is father of W, X is son of V, Y is brother related to Y?	of U. If W is sister of X, how is X
	(A) Father (B) S	ister-in-law
	(C), Nephew (D) C	Grandson
2.	2. Standard Error (SE) and square root of sample	le size are
	(A) Directly proportional (B) E	qual
	(C) Inversely proportional (D) N	lot equal
3.	The mean of three numbers is 135. Amon number is 180. The difference between the re the smallest number is	
	(A) 130 (B) 12	25
	(C) 120 (D) 10	00
4.	B is daughter of A. C is brother of B. C is married couple. F is the only son of E. Then h	-
	(A) Grandson (B) Fa	ather
	(C) Brother (D) U	ncle
5.	Given that X is mother of Y. Z is son of X. A Y. Who is grandmother of A?	is brother of B. B is daughter of
	(A) · X (B) Y	
	(C) A (D) B	
	RDM	

6.	Whi that	Which sampling technique is most appropriate when a person wants to ensure that subgroups are proportionally represented?		
		Stratified Sampling	(B)	Simple Random Sampling
	(C).	Multistage Sampling	(D)	Systematic Sampling
7.		the non-overlapping classes 25- class 35-44 is	34, 35	5-44, 45-54, 55-64 the class mark of
	(A)	39.5	(B)	40.5
× 3	(C)	35.0	(D)	44.0
0	.			
8.		-probability Sampling is also known	own a	S:
	(A)	Stratified Sampling		
	(B)	Simple Random Sampling		
	(C).	Purposive or Judgment Samplin	ng	
	(D)	Cluster Sampling	•	
9.	300 song	persons enjoyed the song. 30%	of to	ers are male. In a marriage function, he people who had not enjoyed the male, who did not enjoy the song in
	(8)			490
	(C)	360	(1)	770
10.	In ta	abular presentation of data, stub i	s	·
	(A).	Left part of table, which provid	le the	description of rows
	(B)	Right part of the table providin	g the	description of the row
	(C)	Left part of the table providing		
	(D)	Right part of the table providing		
0			RDM	<u> </u>

11. Mean deviation is _____ when the deviations are taken from the median.

(A) maximum

(B) minimum

(C) zero

(D) can't say

12. If x and y are related as 4x + 2y + 12 = 0 and mean deviation of x is 4.5, then the mean deviation of y is

(A) -9

(B) 9

(C) 1.1

(D) 4.5

13. For a distribution the mean is 30. The standard deviation is 2, then coefficient of variation is

(A), 6.67%

(B) 9.45%

(C) 7.5%

(D) 2.5%

14. Ogive is used to find

(A) Mean

(B) Median

(C) Mode

(D) Range

15. The algebraic sum of deviation of set of observations from their arithmetic mean is

(A) $\frac{\sum x_i}{n}$

(B) $\sqrt{\frac{\Sigma(x_i - \overline{x})^2}{(n-1)}}$

(C) $\frac{\sum x_i}{(n-1)}$

(D) Zero

16. Find the Harmonic Mean of 2, 4 & 6.

	(A), 3.30	(B) 3.00
	(C) 3.75	(D) 4.00
17.	If the mode of the following data is 1	3, then the value of x in the data set is
	13, 8, 6, 3, 8, 13, 2x + 3, 8, 13,	3, 5, 7
	(A) 6	(B) 5
	(C) 7	(D) 8
18.	The best measure of central tendency	y is in the second seco
	(A) Mean	(B) Median
	(C)- Mode	(D) Range
19.	A sample of 100 people is taken from height is 170 cm with a standard error of mean?	m apopulation of 1000. The sample mean deviation of 10 cm. What is the standard
×	(A) 0.5 cm	(B) 1.0 cm
	(C) 1.58 cm	(D) 10 cm
20.	In pie chart, if a category representangle of corresponding sector? (A) 90° (C) 60°	of the total data, what will be the (B) 45° (D) 75°
		RDM

21. Let A and B be two possible outcomes of a random experiment and $P(A) = \frac{1}{3}$,

 $P(A \cup B) = \frac{1}{2}$ and P(B) = x. For what value of x are A and B mutually exclusive events?

(A) $\frac{1}{4}$

(B) $\frac{1}{6}$

(C) $\frac{1}{5}$

- (D) $\frac{1}{8}$
- 22. A random variable X has the following probability density function:

$$f(x) = 6x(1-x), 0 \le x \le 1$$

Then the mean is

(A). $\frac{1}{12}$

(B) $\frac{1}{3}$

(C) $\frac{1}{4}$

- (D) $\frac{1}{2}$
- 23. The standard deviation of the data 2, 4, 5, 6, 8, 17 is 23.33, then the standard deviation of the data 4, 8, 10, 12, 16, 34 is
 - (A) 23.33

(B)₀ 46.66

(C) 12.23

- (D) 0
- 24. The values of the first quartile and third quartile are 36.50 and 57.50. Then the semi-inter-quartile range is
 - (A) 47.50

(B) 12.50

(C) 10.50

(D) 11.50

25. The AM & GM for two observations are 8 and 2. Find the values of two observations.

(A) - 15.75, 0.25

(B) 16, 1

(C) 15, 1

(D) 14.75, 1.75

26. A random variable has the following probability distribution:

The second secon				
X :	0	1	2	3
P:	$\frac{1}{2}$	$\frac{1}{3}$	$\frac{1}{4}$	$\frac{1}{5}$

Find expected value of X.

(A) 1.43

(B) 1.20

(C) 1.80

(D) 2.00

27. What will be the mode of the Binomial distribution in which mean is 20 & Standard Deviation is $\sqrt{10}$?

(A) 20.5

(B) 21

(C) 20

(D) 41

28. If X is a Poisson variable such that P(X=1) = P(X=2) then the variance is

(A) 2

(B) 1

(C), $\sqrt{2}$

(D) 3

29. Which one of the following statement is wrong?

(A) The normal curve is bell shaped.

(B). The correlation coefficient between X and Y is 2.6.

(C) If r = 0, regression lines are perpendicular to each other.

(D) For any two events A and B, $P(A \cup B) = P(A) + P(B) - P(A \cap B)$.

- **30.** Let $P(A) = \frac{1}{5}$ and $P(\overline{B}) = \frac{3}{5}$. If A and B are mutually exclusive events then $P(A \cup B)$ is
 - (A) $\frac{1}{5}$

(B) $\frac{3}{5}$

(C) $\frac{2}{5}$

- (D) $\frac{4}{5}$
- 31. The mean deviation of normal distribution is approximately equal to
 - (A) 0.5 σ

(B) $3.14 \, \sigma$

(C) 1.14 σ

- (D)_{0.8} σ
- **32.** You are given the following data relating to a frequency distribution of 10 observations:

$$\Sigma X = 50$$
, $\Sigma Y = 60$, $\Sigma X^2 = 300$, $\Sigma Y^2 = 352$, $\Sigma (X + Y)^2 = 1372$

then Cov(X, Y) is

(A) 2

(B) 4

(C) 6

- (D) 8
- 33. If 3 percent of ceramic cup manufactured by a company are known to be defective. What is the probability that a sample of 100 cups are taken from the production process, of that company would contain exactly one defective cup?
 - (A) 0.15

(B) 0.03

(C) 0.09

- (D) 0.30
- 34. A population comprises 7 members. The number of all possible samples of size 3 that can be drawn from it with replacement is—
 - (A) 216

(B) 343

(C) 21

(D) 125

35. Compute the rank correlation coefficient from the following data:

 $n = 10, \Sigma d^2 = 5$

(A) 0.95

(B) 0.97

(C) 0.96

- (D) 0.99
- **36.** If r = 0.8, $b_{yx} = 0.6$, $b_{xy} = 0.5$, $\overline{x} = 5$ and $\overline{y} = 3$, then the regression equation y on x is
 - (A) y = 0.6x 6.0

(B) y = 0.96x - 3.7

(C) y = 0.8x

- (D) y = 0.6x
- 37. Which one of the following index uses the method of average of base year and current year?
 - (A) Laspeyre's Index
- (B) Paasche's Index
- (C) Marshall-Edgeworth Index
- (D). Fisher's Index
- 38. If r = 0.8 then coefficient of non determination is
 - (A). 0.36

(B) 0.64

(C) 0.20

- (D) -0.36
- 39. The correlation coefficient between X and Y is 0.2 and Var(X) = 5Var(Y) then regression coefficient of X on Y is
 - (A) $\frac{1}{5}$

(B) √5

(C). $\frac{1}{\sqrt{5}}$

(D) 5

40. If Laspeyre's index number is 125 and Paasche's index number is 500 then Fisher's index number is

(A) 312.5

(B) 250.0

(C) 62.5

(D) 147.5

41. When the cost of Beverages increased by 40%, the person said that the rise had increased his cost of living by 8%. Before the change in price, the percentage of his cost of living was due to buying Beverages is:

(A) 15%

(B) 20%

(C) 5%

(D) 2%

42. If the prices of all the goods change in the same ratio, then

- (A) Laspeyre's index and Paasche's index numbers are equal.
- (B) Laspeyre's index and Paasche's index numbers are not equal.
- (C) Laspeyre's index is greater than Paasche's index number.
- (D) Laspeyre's index is less than Paasche's index number.

43. Given that $\Sigma p_n q_n = 300$, $\Sigma p_0 q_0 = 125$ and Paasche's index number is 200 then the value of $\Sigma p_0 q_n$ is

(A) 125

 $(B)_{\tau}$ 150

(C) 250

(D) 100

- 44. If $\left(\frac{x}{y}\right)^{a^2+4} = (x^{-1}y)^{-5a}$ then the value of a is
 - (A) -4, 1
- 506423

- (B). 4, -1
- (D) 4, 1
- **45.** If $x = \sqrt{2} + \frac{1}{\sqrt{2}}$ and $y = \sqrt{2} \frac{1}{\sqrt{2}}$ then $x^2 + y^2$ is
 - (A) $\sqrt{2}$

2423

(B) $\frac{1}{\sqrt{2}}$

(C)₀ 5

- (D) 0
- 46. Suppose a father had a sum of ₹ 3,600 and he decided to divide this amount among his three sons Anil, Sunil and Nimal in such a way that 3 times Anil's share, 6 times Sunil's share, and 8 times Nimal's share are all equal. Then Anil's share is
 - (A) ₹1,920

(B), ₹ 960

(C) ₹ 720

- (D) ₹1,860
- The ratio of age of two sisters is 5: 7. One is elder to the other by 8 years.

 Then the ratio of their age after 4 years between older to younger is
 - (A) 2:5

360

(B) 4:3

(C) 4:5

0

(D) 3:5

What are the values of x & y from the given equations? 48.

Given that $\frac{x}{2} - \frac{y}{5} = y - x$ and $\frac{x-5}{y-10} = 1$

(A) (15, 20)

(B) (20, 25)

(C) (25,30)

- (D) (30, 35)
- A company produce two type of product A & B which require processing in 49. two machines. First machine can be used up to 15 hrs. and second can be used at most 12 hrs. in a day. The product A requires 2 hrs. on machine 1 & 3 hrs. on machine 2. The product B requires 3 hrs. on machine 1 & 1 hour on machine 2. This can be expressed as:
 - (A) $2x_1 + 3x_2 \le 15$

(B) $2x_1 + 3x_2 \le 15$

 $3x_1 + x_2 \le 12$

 $3x_1 + x_2 \le 15$

(C) $3x_1 + 2x_2 \le 15$

(D) $2x_1 + 3x_2 \le 12$

 $2x_1 + x_2 \le 12$

- $3x_1 + x_2 \le 15$
- If α and β are roots of the equation $2x^2 4x + 6 = 0$ then the quadratic equation 50. with roots $\frac{\alpha^2}{\beta}$ and $\frac{\beta^2}{\alpha}$ is
 - (A), $3x^2 10x + 9 = 0$
- (B) $3x^2 + 10x + 9 = 0$

(C) $x^2 - 13x + 3 = 0$

- (D) $x^2 + 10x + 9 = 0$
- A manufacturer produces two products A and B. The profit on product A is ₹ 8 on each unit and profit on product B is ₹ 13 on each unit. Then the objective function is
 - (A) Minimize $Z = 8x_1 + 13x_2$
- (B). Maximize $Z = 8x_1 + 13x_2$
- (C) Minimize $Z = 13x_1 + 8x_2$
- (D) Maximize $Z = 13x_1 + 8x_2$

0

52. A certain amount at a rate of simple interest x, doubles in 5 years. At another rate of simple interest y, it becomes three times in 8 years. Then the difference between these two interest rates is

(A) 5%

(B) 8%

(C) 3%

(D) 4%

53. Anil deposited a certain amount in a bank at the rate of 10% per annum compounded semi-annually. At the end of one year Anil received a sum of ₹ 13.230. Then the sum deposited in the bank is

(A) ₹ 13,000

(B) ₹ 1,200

(C) ₹ 12,000

(D) ₹5,000

54. The simplified value of $[5a^5b^2 \times 3(ab^3)^2]/(15a^2b)$ is

(A). $a^5 b^7$

(B) $a^7 b^7$

(C) $a^5 b^5$

(D) $a^7 b^5$

55. Three Employees A, B and C of a firm receive variable incentive money in the ratio 3:4:5. Then the Management also gave a fixed incentive of ₹ 4,000 to each of them. As a result now the total incentive amount of A, B and C becomes in the ratio 5:6:7. How in much amount did B get as variable incentive?

(A) ₹ 2,000

(B) ₹ 4,000

(C) ₹ 6,000

(D) ₹8,000

56. The future value of an annuity of \ge 7,200 made annually for 5 years at the rate of 12% compounded annually is (Given that $(1.12)^5 = 1.76234$)

(A) ₹45,740.40

(B), ₹4,574.50

(C) ₹54,740.50

(D) ₹ 2,400.50

57. John borrows a loan of ₹ 10,000 from a bank and he agreed to pay back in 24 equal instalments at the rate of 10% compound interest per annum. Then each instalment amount is (Given that $(1.1)^{24} = 9.84973$)

(A) ₹1,200.35

(B) ₹ 1,112.99

(C) ₹1,211.99

(D) ₹ 1,321.56

58. What is the present value of ₹ 8,000 to be required after 10 years if the interest rate be 6%? (Given that $(1.06)^{10} = 1.7908$)

(A) ₹ 6,499.87

(B) ₹4,467.28

(C) ₹ 5,867.32

(D) ₹1,790.86

59. The effective rate of interest corresponding to a nominal rate of 8% per annum payable quarterly is (Given that $(1.02)^4 = 1.08243216$)

(A) 6.24% ·

(B) 5.38%

(C) 8.24%

(D) 82.4%

60. Sunil plans to save for his higher studies. He wants to accumulate a sum of ₹ 5,00,000 at the end of 10 years. How much amount should he invest every year if the interest rate is 10% compounded annually?

(Given that $(1.1)^{10} = 2.593742$)

(A) ₹31,372.71

(B) ₹3,137.27

(C) ₹31,312.71

(D) ₹3,000.32

61	1. ₹ 1,500 is paid every years for 10 years to pay a loan. What is the loan amount, if rate of interest 5% p.a ? If (1.05) ¹⁰ = 1.6288				
		₹ 11,581.53		₹ 11,505.50	
	(C)	₹ 11,903.38	(D)	₹ 12,503.48	
62.		certain amount is invested in appounded annually becomes 8 tires		ank. What annual rate of interest fthis investment in 5 years?	
	(Gi	ven that $8^{1/5} = 1.515716$)			
	(A)	51.57%	(B)	5.15%	
	(C)	15.15%	(D)	1.51%	
63.	₹ 24 the r (A)		e same	im for 2 years at 5% per annum is a sum for double the time and double ₹ 960	
64.	year Rate (A)	his investment value is ₹ 18,0 (CAGR) is if $(x)^{1/n} = 1.0413$ 41.40%	00. T		
	(C)	11.56%	(D)	12.06%	
55.		A invested ₹ 20,000 in a ban 500 after end of term. Find out t		the rate of 4.5% p.a. He received riod?	
e	(A)	4.50 Yrs	(B)	8.34 Yrs	
	(C)	6.50 Yrs	(D)	8.10 Yrs	

66.	Assuming that the discount rate is 12% per annum, how much would you pay
	to receive ₹ 100, growing at 8% annually forever?

(A) ₹ 2,500

(B) ₹ 2,700

(C) ₹ 3,000

(D) ₹ 2,000

67. In how many ways can 5 Doctors, 4 Professors, and 6 Auditors be seated in a row so that all person of the same profession sit together?

(A) $3! \times 5!$

(B) $3! \times 5! \times 4!$

(C) $3! \times 5! \times 4! \times 6!$

(D) $3! \times 5! \times 6!$

n AD is 10 Than

68. The sum of the 4th and 8th term of an AP is 10. Then the sum of first eleven terms of the series is

(A) 33

(B) 22

(C) 44

(D) 55

69. Madhu deposits ₹ 100 in a Bank at the beginning of every year for 20 years at 10% interest rate compounded annually, how much would she earn after 20 years? [Given that (1.1)²⁰ = 6.7275]

(A) ₹ 6,300.25

(B) ₹ 6,500.45

(C) ₹ 5,600.25

(D) ₹ 6,250.35

70. How much amount is required to be invested every year so as to accumulate ₹ 15,00,000 at the end of 20 years if interest is compounded annually at 10%? [Given A(n, i) = 57.274999]

(A) ₹ 26,189.44

(B) ₹29,190.35

(C) ₹24,155.35

(D) ₹30,698,44

0

71		how nare whi		can 13 ball	s be arrai	nged, if	4 of them	are black	k, 6 red &
	(A	300	4		(B)	3005			
	(C	300	3	2750	(D)	3008			
72	. Fir	nd the 9		he A.P. 8, 5	5, 2, -1, -	4,			
	(A)) -10	*		(B)	-24			
	(C)	-16			(D)	-4	-		
	, "		il P	2					
73.	The	e sum o	of series 1	2+3+	is 5	5. The n	umber of	terms is:	
		40	15 15	0	(B)		7		
	(C)	20	ď.	9.	(D)	10			
	ė								
74.	_		ways of pi	1 members cking 2 mal					
	(A)		€ <u>i</u> ,	2	(B)	200			
		220	Ca Ca	00	(D)	350			
75.		produ ber is		numbers	which ar	e in G	P is 512.	Then the	e second
	(A)	2	() ¹⁰ 1/ ¹⁰	'	(B)	3	*		
INI	(C)	6	(*) (*)		(D)	8			
76.	Let A	$A = \{a,$	b, c, d, e}	then the nu	mber of p	roper sı	ıbsets is		
	(A)	31			(B)	32		¥	
	(C)	30			(D)	29			
0					RDM				

- 77. If $x = at^2$ and $y = a(t^3 t)$ then $\frac{dy}{dx} =$
 - (A) $\frac{3t^2-1}{2t}$

(C) $\frac{3t^2-1}{t}$

- (B) $\frac{3t^2 t}{2t}$ (C) $\frac{3t^2 + 1}{2t}$ (D) $\frac{3t^2 + 1}{2t}$
- The marginal revenue function for a product $MR = 5 4x + 3x^2$. Then the total 78. revenue function is
 - (A) $5x + 2x^2 + x^3$

- (C) $5x + 2x^2 + x^3 + 3$
- (B) $5x 2x^2 + x^3$ (D) $5x 2x^2 x^3$
- 79. Evaluate: $\lim_{x \to 3} \frac{x^2 + 4x + 3}{x^2 + 6x + 9}$

(C) 2

- In how many ways can an interview panel of 3 members be formed from 3 80. engineers, 2 psychologists and 3 managers if at least 1 engineer must be included?
 - (A) 30

(C) 46

0

- **81.** $A = \{a, b, p\}, B = \{2, 3\}, C = \{p, q, r, s\} \text{ then } n[(A \cup C^{(s)}) \times B] \text{ is } :$
 - (A) 8

(B) 20

(C) 12

(D) 16

Find the missing term CEGI, XVTR, GIKM,

(A) TRPN

KMBD

(C) AMNL

(D) JLNP

In certain code language 'CLOCK' is coded as 75276 and 'EARTH' is coded 83. as 83491, then 'COAT' is coded as

7329 (A)

7932 (C)

(B), 7239 (C) (D) 7529

Find the missing term of series 2, 7, 16, 29,, 67, 92

(A) 39

(B) 46

(D) 62

85. $\int (2x+5)^7 dx$ (A) $\frac{(2x+5)^8}{16}$ (C) $\frac{(2x^2+5x)^7}{2}$

(D) $\frac{(2x^2 + 5x)^7}{5}$

A committee of 3 members is formed from 5 women and 3 men in such a way 86. that it consists at least 2 members who are women. In how many different ways can it be done?

(A) 40

(B) 50

(C) 60

87.	Anil started walking 5 kms towar 3 kms. Again he turned left and wa he walked is	kms (B) 8 kms (D) 5 kms arted walking 10 kms towards east from his home. He turned right and 5 kms to the south to reach his school. In which direction is his school s home? ath-East (B) North-East (B) North-West d walking from his house & walk 4 km north side then turns right &	
	(A) 13 kms (C) 3 kms		
88.	Raju started walking 10 kms toward walked 5 kms to the south to reach 1 from his home?	Is east from his home. He turned right and his school. In which direction is his school	
	(A) South-East	(B) North-East	
	(C) South-West		
89.	A started walking from his house & walk 3 km. If he turns right again, w (A) North		
ii.			
	(C) East	(D) South	
90.	In a certain language 'MENTION' 'MYSTIFY' is:	is written as 'NFOUJPO', the code of	
	(A) NZTUJGZ	(B) NFOFTJT	
	(C) LNEITNO	(D) OERESTN	
•		•	
91.	Find the odd man out from the follow		
	Marriage, Wedlock, Divorce, Matrim		
	(A) Marriage	(B) Wedlock	
	(C) Divorce	(D) Matrimony	
	ı.	RDM	

92.	each other. Each row has sitting in between E and	, E, F, G and H are sitting in two rows opposite to 4 persons. B and C are sitting opposite side. C is D. H is sitting immediate left of E. F and H are site position. G is sitting extreme left. Who is sitting
	(A) F	(B) G
	(C) B	(D) A
*		
93.		nd E are sitting in a circle facing centre. C is sitting itting in between E and D. Who is sitting between B
	(A) C	(B) D
	(C) E	(D) B
94.		m to the North. He turns right and walks 5 km, then s 10 km. In which direction is man now from the (B) West
	(C) North	(D) South
95.	front of her. She walked 2 she turned left and walked	ed walking from a point where her shadow falls in kms and then turned left and walked 2 kms. Again 2 kms. In which direction is she now facing?
	(A) East	(B) West
	(C) South	(D) North

96.	6. Five persons A, B, C, D & E sitting on a bench. immediate left of C and immediate right of A person is sitting in the middle of bench?	A is immediate right of B. E is A. B is the right of D. Which
	(A) B	
	(C) A $ \begin{cases} \frac{1}{2} \left(\frac{1}{2} \right) & D \\ \frac{1}{2} \left(\frac{1}{2} \right) & D \end{cases} $	•
97.	7. L is wife of N, P is son of N, K is brother of N relationship of P and O?	and father of O. What is the
	(A) Uncle (B) Broth	ner
	(C) Cousin $\begin{pmatrix} r_1 & r_2 & r_3 & r_4 & r_5 $	iew
98.	B. C is sister of B. D is father of A. A is brothe couple. How is C related to E?	r of B. D and E are married
	(A) Daughter (B) Son	
	(C) Mother (D) Fathe	r
99.	center but not necessary in the same order. A si sits third to the left of D, who sits at the imme persons are sitting between C & D?	ts at immediate right of E. C
	(A) 1 (B) 2	
	(C) 3 $\begin{cases} \int_{a_1}^{a_1} (D) & 4 \\ \int_{a_1 a_2}^{a_1 a_2} (D) & 4 \end{cases}$	
100.	D. Five friends A, B, C, D and E are sitting in a between C & D. B is second to the left of C. Who	row facing east. A is sitting is sitting at the south end?
	(A) E (B) B	,
¥	(C) C (D) D	

Space For Rough Work

(1) (1) (1) (1) (1)

00000010